APPENDIX

```
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem *** #MAIN
rem This is the main program task
#MAIN
JS #INIT
XQ #IDLE,1
#MAIN1
JS #CYCLE,@IN[1]=0;
JS #HOME,HPB=1;
JS #WELD1,RPB=1;
JP #MAIN1
EN
rem End #MAIN*********************
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem *** #HOME
rem Home function
#HOME
HX 1;
HPB=0;
MG "HOME"
XYHomed=0;
HomeIP=1;
RevLS=0;ForLS=0;
ER HomeFE;
AC HomeAcc;
DC HomeDec;
KP HomeP;
KI HomeI;
KD HomeD;
IL 2;VT 1;
#HOMEX
MG "Homing . . . ";
```

```
StatMsg-"HOMEX:"
rem Make sure of home switch
MG "Get off 'home switch . . . ";
JG FIVel:BGX;
#WFX2:JP #WFX2,@IN[2]=0:
WT 500
STX:AMX:JP #HOMEX,@IN[2]=0:
MG "Off Home switch . . . ";
rem Find home LS
MG "Looking for home switch . . . ";
#WFX1:
PR -5; BG;AMX;
JP #WFX1,(@IN[2]=1;XPos= TPX:
MG "Home switch found . . . ";
rem:
rem Go back to home position
SP FTVel:
PA XPos:BG:AM:DP0:
MG "Slides Homed . . . "
#HOME1
XYHomed=1:
XQ #IDLE.:
EN
rem End #HOME••••••••••••••••••••••
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem:
rem *** #POSERR
rem Position following error
#POSERR
ZS:
JS #HALT:
MG "FOLLOWING ERROR"
StatMsg-"FOLERR"
ZS;Jp #MAIN:
RE
rem End #POSERR ••••••••••••••••••
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem *** #HALT
rem Brings motion to a stop
#HALT
StatMsg-"HALT"
ER*=10000;II 0:AB 1:WT 1000;
SH.CS;HX 1;MO;
OP255:
rem JS #CLEARIO:
MG "Servo program halted . . . "
EN
rem end #HALT ••••••••••••••••••••••
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem:
#IDLE
IdleTM-TIME
#IDLE1
JP #IDLE1,TIME-IdleTM<1000):
ITime=ITime+1:
MG "Servo Ready . . . ",ITime{F0}
JP #IDLE:
EN
rem End #IDLE ••••••••••••••••••••••
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
#INIT
SB 1;SB 2;SB 3;SB 4;
SB 5;SB 6;SB 7;SB 8;
ER*=1000:
OE*=1;
TL 1;
GN 1:
AC 500;
DC 500;
```

APPENDIX-continued

```
KP .2;
KI .C5;
KD 0;
HPB=0;
RPB=0;
XYHomed=0;
IdleTM=0;
ITime=0;
JS #INITGL
JS #INITWL
EN;
rem End #INIT ··············
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
#WELD1
HX :
RPB=0;
MG "Weld Cycle Started"
ER*=WeldFE;
OE*=1;
rem
TL WeldTL;
GN WeldGN;
SP WeldSP;
AC WeldAC;
DC WeldDC;
KP WeldKP;
KI WeldKI;
KD WeldKD;
Dist=PPR*WeldRev;
Dist2=Dist-(PPR*TrigRev);
PR Dist;
TW 500;
BGX;
MG "Scrub . . "
rem Scrub start
AT 0;
AT ScrubTM;
rem Burn start
CB1;
MG "Burn . . . "
AD Dist2;
rem WT500
rem Forge Start
CB 2;
SB 1;
MG "Forge . . . "
AMX;
KP WeldKP2;
WT ForgeTM;
SB 2
MG "Weld complete"
WT 10C00
KP WeldKP.
EN.
rem End #WELD1 ···················
rem
#CYCLE
JS #HOME,XYHomed=0
JS #WELD1;
XQ #IDLE,1
EN
rem End #CYCLE ···················
#MCTIME
MG "Position timeout . . . "
RE
rem End WELD/CYCLE MODULE ········
rem
#INITGL
rem
rem GLOBAL VARIABLES
rem
rem
rem PULSES PER INCH
PPI=1000.00000)
rem PULSES PER REV
PPR=7941.22449
```

```
rem Timer Ticks Per Second
TPS=1000
rem    Input Volts Per Unit
IVltPRPM=2.000000
IVltPPSI=3.000000
rem    Output Volts Per Unit
OVltPRPM=2.000000
OVltPPSI=3.000000
rem Sample Rate
SampleRt=100
rem Number of IO
rem Homing following error counts
HomeFE=2000;
HomeVel=1000;
HomeAcc=500;
HomeDec=500;
HomeP=.8;
HomeI=.02;
HomeD=0;
GHomeVel=1000;
FTVel=1000;
rem Software limits
XFLimit=11.000
YFLimit=11.000
XBLimit=-0.100
YBLimit=-0.100
InvertIO=1
rem Max Move Values
MaxXMVel=10
MaxXMAcc=40
MaxXMDec=40
EN
rem
rem Weld start values
#INITWL
rem *** Inertia Friction Welding Inc
rem *** Copyright 1996
rem *** All rights reserved
rem
rem Weld specific params
WeldRPM=1750
ScrubTM=2000;
ForgeTM=4000;
WeldRevS=10
Degrees=0
TrigRev=0.5
rem
rem PID params
WeldAcc=100
WeldDec=100
WeldKP=0.5
WeldKP2=1
WeldKI=0.02
WeldKD=50
WeldFErr=1.5
WeldTL=9.9988
WeldGN=20
rem
rem Calculated parameters
WeldRev=(Degrees/360)+WeldRevS;
WeldSP=(WeldRPM*PPR)/60;
WeldAC=(WeldAcc*PPR)/60;
WeldDC=(WeldDec*PPR)/60;
WeldFE=WeldFErr*PPR;
rem
rem End weld.txt ***********
EN
rem End #INITLW ****************
```